1 Overview


1.0 Introduction

The building blocks for the UniGuide Program consist of six graphic components: typography, grid formats, Arrowhead symbol, directional arrow graphics, recreation symbols, and color. These components are used in specific ways to visually enhance particular types of communications consistently throughout the National Park System. This chapter provides specific guidlines on graphic standards for Roadway Signs.

National Park Service

National Park Service

Typography



Grid Formats




NPS Arrowhead Type 3, Single Color



NPS Arrowhead Type 2, Multiple Color





2 Typography

2.0 Introduction

The Uniguide Standards specify three typefaces for sign legends: NPS Rawlinson (a serif font), and Frutiger and Clearview (both san serif fonts).

NPS Roadway (designed specifically for the National Park Service) is the primary typeface used on Roadway Signs.

Frutiger (used under license from Adobe), replaces the Helvetica formerly used in many NPS media. Along with Rawlinson, Frutiger is used as a secondary typeface on VIS Signs and Park and Facility Identification Signs.

Clearview (which was created by the same firm that designed NPS Rawlinson) is used as a secondary typeface on all Roadway Signs and on those VIS (see Volume 3, Uniguide Standards) Signs that provide information to motorists. Clearview is similar to Frutiger in appearance, but — unlike Frutiger — is approved by the Federal Highway Administration for use on roadways.

NPS Roadway

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz0123456789

Clearview Highway

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz0123456789

Frutiger 65

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz0123456789

2.1 Specifications and Compliance

Only these fonts are to be used on Roadway Signs. Alternates — such as Helvetica, Century, Times Roman, or Clarendon — are not acceptable.

Specified typefaces are to be used in the production of all graphic panels. Conversions that change the typographic style, letterspacing, alignment, stroke-width, or size will be rejected.

2.2 Method of Typographic Display

All legends are displayed in NPS Roadway, in upper and lowercase (U/lc), with initial capital letters only unless otherwise noted. Advance Guidance Legends are displayed in Clearview, in uppercase (UC).

2.3 Letterspace Adjustment for Legibility

Signs viewed from a distance require more space between letters (additional tracking) than those viewed by pedestrians from a standing position. Computer software programs provide precise adjustments for such tracking needs. Within the UniGuide program, custom tracking of legends is limited.

NPS Roadway and Clearview have the correct proportional letterspacing built into the font for Roadway Sign applications. The numerical value of the specified tracking is identified with the individual grid specifications.

2.4 Typographic Alignment

Destination legends are placed flush left (left justified) on the grid with initial letter aligned to the left side of a vertical stroke unless specified as centered on the layout grid.



Alignment: Initial capital letters align on the leading edge of the vertical stroke. Round and angular letters are placed slightly to the left as shown so as to appear aligned flush left on the grid.

Vertical alignment: The serif is allowed to extend beyond the edge of the grid. Letters including Y, W, A, etc. are aligned inside the serif at the location where the body of the actual letter begins as shown in the diagram on the left.

Horizontal alignment: The distance between the baseline of a line of type and the imaginary line across the top of capital letters becomes the dimension on which interline spacing is based.

3 NPS Arrowhead

3.0 Introduction

Since its introduction in 1952, the NPS Arrowhead logo has become a well recognized symbol of the agency. Changes to the logo, adopted in 2001, helped to ensure that the Arrowhead appears more often, more consistently, and more legibly on all NPS communication materials, including signs. The UniGuide Sign Standards prescribe the use of the NPS Arrowhead on selected Park and Facility Identification signs, and on specified Roadway Signs, including Pathfinders.



Information about the NPS Arrowhead is available online at <www.graphics.nps.gov>. The two Arrowheads required for use on signs have been optimized for a variety of imaging technologies and for distant viewing.

The Arrowhead Symbol is to be considered all inclusive. The Arrowhead should not be altered or redrawn, nor should any element within the Arrowhead be removed, replaced, or modified.

The decision of when and how to use the NPS Arrowhead logo on signs should be made with care. Although the Arrowhead is an integral part of the agency's public identity, it should not be overused. The Arrowhead should also not be used in ways that compromise a signs primary purpose. Highway Guide Signs may use an Arrowhead. However, this application may be subject to restrictions by State Highway Administrations. If a sign is obviously within a park, greater liberty may be taken in the use, size, or placement of the Arrowhead.

3.1 Arrowhead Applications

Highway Guide Signs display the Arrowhead on the left side of the legend at a size specified on the layout grid (HG.2). Highway Guide Signs are used outside the park to direct visitors to its entrance(s). The MUTCD allows the use of the NPS Arrowhead on Highway Guide Signs but its use on state highway signs may vary from state to state and within the individual highway districts in a state. Arrowheads are not placed on Road Guide Signs (RG) inside a national park.



Pathfinder and Boundary Signs display the Arrowhead along with the name of the agency (National Park Service) in an overbar that contrasts in color with the lower portion of the sign panel. Pathfinders are primarily used in urban, suburban, and populated rural areas along streets and roads with posted speeds of less than 45 mph. Boundary Signs mark the perimeters of NPS Sites. The NPS Arrowhead and typographic designations provide a consistent nation-wide identifier that helps guide visitors through congested environments to a park's entrance(s).





3.2 Arrowhead Materials

Arrowheads may be manufactured in a variety of materials, methods, and colors, either as an integral part of the sign panel, or separately and affixed to the panel or to a masonry upright that is part of an overall sign structure.


The Arrowhead on Highway Guide Signs is to be cut from brown transparent overlay film with the rest of the panel graphics and applied to a white retroreflective background. Three-color vinyl Arrowheads affixed to the face of the sign are not recommended because of limited adhesion and colorfastness.

Arrowheads in the overbar of these signs are screen-printed NPS Brown on white reflective sheeting along with the dark green overbar. This screen-printed material is then applied to the sign panel.

Artwork for the Arrowhead is available from the UniGuide Program Manager.

3.3 Arrowhead Color Standards

Both a three-color (TC) and a one-color (OC) version are available. Guidance on when to use each is provided below. A color palette has been selected for reproducing the Arrowhead on NPS signs. These colors must never be changed or altered in any way.





4

Color Standards

4.0 Color Standards for Roadway Signs

Depending on application, colors are specified according to the Pantone Matching System (PMS) or to standard Federal Highway Administration (FHWA) highway sign colors. These colors will be matched and formulated for the respective type of manufacturing material. For other options in the use of color, contact the UniGuide Program Manager.

Highway Guide (HG) and Road Guide (RG) Sign panels are FHWA Recreation Brown with White legend. For Pathfinders (PF), the overbar is Dark Green with one-color NPS Brown Arrowhead logo on a White background and the main sign panel being FHWA Recreation Brown with a White legend.

Both FHWA Recreation Brown and FHWA white are retro reflective colors based on Federal Highway Administration standards. The Dark Green Pathfinder overbar and NPS Brown Arrowhead logo are screen-printed with transparent inks on reflective sheeting.



Colors for Roadway Signs use retroreflective FHWA Recreation Brown with the addition of the dark green NPS identity for Pathfinders, and use of FHWA Yellow to improve communications. Other FHWA colors apply for regulatory signs.



(PMS-1615)



FHWA Recreation Brown: Sign Panel



HG-2 Highway Guide 2-line Legend with Advance Guidance and NPS Arrowhead



FHWA Recreation Brown: Sign Panel



Park Boundary 3-line Primary Legend with Secondary Legend



Dark Green: Pathfinder & Boundary Marker Overbar (PMS-5605)





Pathfinder 2-line Primary Legend with Directional Arrow



Sign Panel



Road Guide with Advisory Panels



FHWA White: Legend





FHWA Recreation Brown: Sign Panel





Warning Signs



5

SEGD National Recreation Symbols

5.0 Introduction

Symbols provide a common, nonverbal language to transmit information to park visitors regardless of their native language. They also help affirm or clarify verbal instructions for visitors.

The original 83 symbols in the SEGD National Recreation Symbols were developed beginning in 1984 under a project sponsored by the US Army Corps of Engineers to create a visually consistent set of recreation symbols for public use. The system was subsequently expanded under a grant from the National Endowment for the Arts to the Society for Environmental Graphic Design (SEGD), and with support from the NPS, US Fish and Wildlife Service, Corps of Engineers and other recreation and land management agencies. The Corps has given program stewardship responsibility for the symbols to the SEGD.

The design of the SEGD National Recreation Symbols incorporates many of the pictographic concepts of the original NPS symbol program that was originally adopted in the late 1960's, and which had expanded from 12 symbols in the beginning to 88 symbols. In the end, there was little consistency in design and many of the symbols were not legible from required viewing distances. The new SEGD system was designed to be a more legible and visually consistent system. The basic design was graphically based on the style of the AIGA/USDOT Symbol Signs for Transportation Related Facilities, and incorporated 13 commonly used symbols from that system, but includes proportions and figure and field relationships that are tailored to signage.

This system includes 130 symbols in the positive format, excluding the recycle symbol (not part of the sign program), 63 prohibitions with a red circle and slash graphic over a white figure, and 21 warnings in a yellow diamond.

5.1 Use of Symbols

Although symbols are considered an international pictographic language, many park visitors may not be familiar with specific symbols, so legends occasionally must be added to affirm the messages, especially where activities are prohibited. In these instances the symbol is combined with words.

To determine whether or not a symbol sign would be appropriate for a specific use, the following criteria should be used:

- Does the symbol represent an accommodation, service or activity?
- · Is the accommodation, service or activity obvious? The obvious should not be symbolized.
- Will the symbol be a substitute or reinforce a message? Symbols may be displayed alone, augment a worded legend, or dominate a legend.
- Will multiple symbols clutter a sign? Road and Highway Guide Signs with three or more word legends should not include symbols.

5.2 Symbol use on Roadway Signs

The SEGD National Recreation Symbols shall be used on all Roadway signs. Symbol use on all MUTCD Regulatory and Warning Signs that are placed on park roads shall comply with the latest version of the Manual on Uniform Traffic Control Devices (MUTCD) and the current edition of the Standard Highway Signs book. This includes: cross walks, horse crossing, deer, livestock, snowmobile, bus, truck, bike, or other symbols used specifically on regulatory and warning signs as specified for roads in the MUTCD.

5.3 Symbol of Access

The UniGuide Program has adopted the symbol of accessibility included in the SEGD National Recreation Symbols for clarity and consistency with all other symbols used in the standards. Actual application of the symbol including placement as a white figure in a blue rectangle is to be consistent with the Accessibility Guidelines and Standards of the US Access Board.




5.4 Type Size and Proportional Display of Symbol


Recreation symbol use will vary depending on application. In most applications, the size of the symbol (overall height and width of the border rectangle) will be in direct proportion to the size of the primary legend. See Grid formats in Chapter 3 for specific guidelines.

5.5 Symbol Colors

Refer to the examples provided in this manual for general guidance on the use of color. All positive symbols must be displayed with adequate contrast for legibility.







Road Guide (RG-2)



Road Guide (RG-5)



Road Guide (RG-8)

5.6 Roadway Signs with Recreation Symbols

Signs that incorporate symbols as an option include the following:

- **RG-2** Road Guide for Single and Multiple Destinations with Symbols
- **RG-5** Road Guide for Single Destination with 2 to 4 Symbols
- **RG-7** Road Guide for Single Destination with 1 or 2 Symbols
- RG-8 Road Guide with 1 to 4 Symbols and Directional Arrow
- **RG-9** Road Guide Information for Single Destination with Secondary Legend
- **RG-10** Road Guide for Single Destination with Advance Guidance

5.7 New Symbols

The design of the symbols have been prepared with careful attention to proportion, detail and line weight for each application. Do not modify or augment the design of the SEGD National Recreation Symbols for any local purpose or change the relationship of the symbol to the surrounding shape. If the symbol is not appropriate for a specific communication requirement, contact the UniGuide Program Manager for assistance.

New symbols are selectively added to the SEGD National Recreation Symbol system based on careful review of need, and a determination that a symbol is an effective way to communicate the idea proposed. Requests for new symbols are to be directed to the Uniguide Program Manager for assistance.

SEGD National Recreation Symbols

5.8 Symbol Display

The 130 recreation symbols in the system are displayed on the following pages in six basic groups: General, Accommodations, Services, Land Recreation, Water Recreation, and Winter Recreation. Next to each symbol is its identification name and one to four icons showing the applicable formats for each symbol (recreation, prohibition, warning and highway). All symbols are shown in the recreation format. Note that not all symbols are intended for use on highway signs, with many symbols used only on trail, identification or general information signs viewed at close proximity. The prohibition format is displayed with the red slash placed behind the symbol. Research has shown that recognition and understanding is increased when the symbol graphic is not interrupted by the red slash. The 63 prohibition symbols, and 21 warning symbols are displayed on pages 2.5-18 through 2.5-20.

Note that in reproducing symbols in artwork, all symbols and borders must proportionally match one-to-one the sample artwork included in these specifications. When enlarging a symbol as an EPS file, check Maintain Uniform Scale within the software when assigning a proportion for enlargement or reduction.

Recreation

Symbol No.

RS-017

RS-047

RS-013

RS-091

RS-097

RS-008

Prohibition

Symbol No.

PS-132

PS-131

PS-017

PS-047

PS-013

5.9 Symbols Listed AlphabeticallySymbol name and number are listed below in alphabetical order. If a symbol is also available in the prohibition format, a number is listed after the symbol name (PS-000). Where one symbol could be described by different names, options are listed; for instance, "caving" is also listed as "spelunking." Symbols noted with an asterisk (*) can be used in a warning format using digital artwork provided. The list includes only the most common prohibitions. Others are

identified with the associated recreation symbol.

			Family Restroom		
			Ferry, Vehicle	RS-033	
Symbol Name	Recreation	Prohibition	Fire Extinguisher	RS-090	
	Symbol No.	Symbol No.	Firearms/Guns (No)		PS-001
A			Firewood Cutting	RS-112	PS-112
Airport	RS-029		First Aid	RS-024	
Alcoholic Beverages (No)		PS-100	Fish Cleaning	RS-093	PS-093
All-Terrain Vehicle Trail	RS-095	PS-095	Fish Hatchery	RS-010	
Amphitheater	RS-070		Fish Ladder	RS-089	
Archery	RS-116		Fishing Area	RS-063	PS-063
Automobiles	RS-003	PS-003	Fishing Pier	RS-119	
В			Fishing, Ice	RS-092	
Baby Changing Sta. (Men's Rm)	RS-137		Fitness Area, Exercise	RS-097	
Baby Changing Sta. Women's Rm)	RS-138		Food Service/Restaurant	RS-019	
Baby Stroller	RS-111	PS-111	Fuel, Gas Station	RS-032	
Baseball	RS-096	PS-096	G		
Bear Viewing Area	RS-012		Garage/Mechanic	RS-027	
Bicycle Trail	RS-066	PS-066	Gas Station	RS-032	
Boardwalk (Stay On/No Step Off			Golfing	RS-128	PS-128
Boat Launch Ramp	RS-054	PS-054	Grocery Store	RS-020	13 120
Boat Tour	RS-087		Guns/Firearms	113 020	PS-001
Boat/Marina	RS-053		H		15 001
Bottles or Cans/No Bottles or Cans	RS-101	PS-101	Hand Launch/Small Boat Launch	RS-117	PS-117
Bus Stop	RS-031		Hang Gliding	RS-126	PS-126
C			Hatchery, Fish	RS-010	13 120
Campfires	RS-042	PS-042	Helicopter	113-010	
Campground/Campsite	RS-038	PS-038	Hiking Trail	RS-068	
Campsite, Recreational Vehicle	RS-104	PS-104	Horse Stable	RS-073	
Campsite, Trailer	RS-040	PS-040	Horse Trail	RS-064	PS-064
Canoeing	RS-079	. 5 0 . 0	Hospital	RS-201	13-004
Cans or Bottles (No)	113 07 3	PS-101	Hotel, Lodging	RS-018	
Cars, Automobiles	RS-003	PS-003	Hunting	RS-072	PS-072
Caving, Spelunking	RS-084	13 003	I I	N3-072	F3-0/2
Chair Lift/Ski Lift	RS-105		•	RS-092	PS-092
Clean Up After Your Dog	RS-140		Ice Fishing	RS-050	PS-050
Cleaning, Fish	RS-093		Ice Skating	RS-125	PS-125
Climbing	RS-082	PS-082	In-line Skating Information	RS-014	F3-125
Collecting, Rock	RS-083	1 3-002	information J	K5-U14	
Cross Country Skiing	RS-046			DC 067	DC 0.67
Cross Walk	RS-016	PS-016	Jeep, Off Road Vehicle Trail	RS-067	PS-067
D	K3-010	F3-010	Jet Ski/Personal Watercraft	RS-121	PS-121
Dam	RS-009		K	DC 440	
	RS-009		Kayaking	RS-118	
Deer Viewing Diving	RS-011	PS-062	Kennel/Pet	RS-045	
5			L		
Diving, Scuba	RS-060	PS-060	Ladder, Fish	RS-089	B0 0= -
Do Not Feed Animals—Bears		PS-135	Launching Ramp	RS-054	PS-054
Do Not Feed Animals—Coyotes		PS-133	Laundry/Laundromat	RS-085	
Do Not Feed Animals—Deer		PS-134	Library	RS-110	
Do Not Feed Animals—General		PS-130	Lifejackets	RS-094	

Symbol Name

Dogs, Pets on Leash

Exercise Fitness Area

Downhill Skiing

Drinking Water

Dumpster, Trash

Falling Rocks

Do Not Feed Animals—Squirrels

Do Not Feed Animals—Waterfowl

Symbol Name	Recreation Symbol No.	Prohibition Symbol No.	Symbol Name	Recreation Symbol No.	Prohibition Symbol No.
Lighthouse	RS-007		Restaurant/Food Service	RS-019	
Litter Receptacle	RS-086	PS-086	Restroom Women's	RS-023	
Lockers/Storage	RS-030		Restroom, Men's	RS-021	
Lodging	RS-018		Restrooms	RS-022	
Lookout Tower	RS-006		Rock Climbing, Technical	RS-081	PS-081
М			Rock Collecting	RS-083	PS-083
Marina/Boat	RS-053		Rocks, Falling	RS-008	
Mechanic/Garage	RS-027		Rowboating	RS-057	
Men's Restroom	RS-021		S		
Moorage/Marina	RS-053		Sailing	RS-056	
Motel, Lodging	RS-018		Sanitary Station, Trailer	RS-041	
Motor Bike Trail	RS-065	PS-065	Scuba Diving	RS-060	PS-060
Motorboating	RS-055	PS-055	Seal/Sea Lion Viewing	RS-106	
N*	113 033	13 033	Seaplane	RS-115	
No Alcoholic Beverages		PS-100	Shelter, Picnic	RS-039	
No Cans or Bottles		PS-101	Shelter, Sleeping	RS-037	
No Camping/Campground	RS-038	PS-038	Shelter, Trail	RS-043	
No Campfing/Campground No Campfires/Campfires (ring)	RS-042	PS-038 PS-042	Showers	RS-043 RS-035	
					DC 0/1/1
No Drinking/Drinking Water	RS-013	PS-013	Site, Picnic	RS-044	PS-044
No Feeding Animals—Bears		PS-135	Skateboarding	RS-098	PS-098
No Feeding Animals—Coyotes		PS-133	Skating, Ice	RS-050	PS-050
No Feeding Animals—Deer		PS-134	Ski Jumping	RS-048	PS-048
No Feeding Animals—General		PS-130	Ski Lift/Chair Lift	RS-105	
No Feeding Animals—Squirrels		PS-132	Skiing, Cross Country	RS-046	
No Feeding Animals—Waterfowl		PS-131			
No Firearms/Guns		PS-001	Skiing, Downhill	RS-047	PS-047
No Food-Drink/Snack Bar	RS-102	PS-102	Sledding	RS-049	PS-049
No Hunting/Hunting	RS-072	PS-072	Sleeping Shelter	RS-037	
No Litter/Litter Receptacle	RS-086	PS-086	Smoking (No)	RS-002	PS-002
No Pets/Pets on Leash	RS-017	PS-017	Snack Bar/No Food-Drink	RS-102	PS-102
No Picnicking/Picnic Site	RS-044	PS-044	Snowboarding	RS-127	PS-127
No Smoking/Smoking	RS-002	PS-002	Snowmobiling	RS-052	PS-052
No Step/Stay on Trail		PS-124	Snowshoeing	RS-078	
No Swimming/Swimming	RS-061	PS-061	Spelunking/Caving	RS-084	
0			Stable	RS-073	
Off-Road Vehicle Trail	RS-067	PS-067	Stay on/No Step-Off Boardwalk	RS-122	PS-122
Overlook/Viewing Area	RS-036		Stay on Trail/No Step	RS-123	PS-123
P			Storage, Lockers	RS-030	
Pack-It-In Pack-It-Out	RS-139		Store, Grocery	RS-020	
Parking	RS-034	PS-034	Stroller, Baby	RS-111	PS-111
Pedestrian Crossing	RS-016	PS-016	Surfing	RS-059	PS-059
Pet Storage/Kennel	RS-045		Surfing, Wind	RS-108	
Pets on Leash	RS-017	PS-017	Swimming	RS-061	PS-061
Picnic Shelter	RS-039		T		
Picnic Site	RS-044	PS-044	Technical Rock Climbing	RS-081	PS-081
Playground	RS-069	. = =	Telephone	RS-025	'
Point of Interest	RS-080		Tennis	RS-129	
Post Office	RS-026		Theater	RS-109	
Power Boats	RS-055	PS-055	Tour Boat	RS-087	
R	113 033	15055	Tour, Bus	RS-031	
Radiator Water	RS-124		Tower, Lookout	RS-006	
Radios/No Radios		DC 102	•		
	RS-103	PS-103	Trail (Interpretative, Auto)	RS-113	
Ramp, Launching	RS-054	PS-054	Trail (Interpretative, Pedestrian)	RS-114	
Ranger Station	RS-015		Trail All Tarrain Vahiala	RS-043	DC 005
Rattlesnakes	RS-099	2000	Trail, All-Terrain Vehicle	RS-095	PS-095
Receptacle, Litter	RS-086	PS-086	Trail, Bicycle	RS-066	PS-066
Receptacle, Trash Dumpster	RS-091		Trail, Hiking	RS-068	
Recreation, Winter	RS-077		Trail, Horse	RS-064	PS-064
Recreational Vehicle Campsite	RS-104	PS-104	Trail, Motor Bike	RS-065	PS-065
Recycling	RS-200		Trail, Off-Road Vehicle	RS-067	PS-067

Symbol Name	Recreation Symbol No.	Prohibition Symbol No.
Trailer Campsite	RS-040	PS-040
Trailer Sanitary Station	RS-041	
Tramway	RS-071	
Trash Dumpster	RS-091	
Trucks	RS-004	PS-004
Tunnel	RS-005	
C		
Vehicle Ferry	RS-033	
Viewing Area, Bears	RS-012	
Viewing Area/Overlook	RS-036	
Viewing, Deer	RS-011	
Viewing, Seals/Sea Lions	RS-106	
Viewing, Whales	RS-107	
Viewing, Wildlife/Nature	RS-076	
w		
Wading	RS-088	PS-088
Walk Your Bicycle	RS-136	
Water, Drinking	RS-013	PS-013
Waterskiing	RS-058	PS-058
Whale Viewing	RS-107	
Wheelchair Accessible	RS-028	
Wildlife/Nature Viewing	RS-076	
Wind Surfing	RS-108	
Winter Recreation Area	RS-077	
Women's Restroom	RS-023	
Wood Gathering	RS-120	PS-120

 $[\]mbox{^{*}}$ Includes only the most commonly used prohibition symbols. See display on page 2.5-12 for the complete set.

5.10 General Symbols Positive



RS-002 Smoking



RS-003 Automobiles



RS-004 Trucks



RS-005 Tunnel



RS-006 Lookout Tower



RS-007 Lighthouse



RS-008 Falling Rocks



■◆ ARS-009



RS-011 Deer Viewing



RS-012
Bear Viewing Area



RS-016
Pedestrian
Crossing/Crosswalk



RS-017
Pets on Leash



RS-031 Bus Stop



RS-036 Viewing Area



RS-042 Campfires



RS-080
Point of Interest



RS-090 Fire Extinguisher



RS-099 Rattlesnakes



RS-101 Cans or Bottles



RS-102 Snack Bar



RS-103 Radios



RS-111 Strollers



RS-200 Recycling



RS-115 Sea Plane



RS-120 Wood Gathering



RS-122 Stay on Boardwalk



■⊗ RS-123 Stay on Trail



RS-136
Walk Your Bicycle

5.10 General Symbols Reverse




5.12 Accomodation Symbols Positive



Station Men's Room Station Women's Room

5.13 Accomodation Symbols Reverse

Vehicle Campsite



5.14 Service Symbols Positive



RS-013 **Drinking Water**



RS-014 Information



RS-015 **Ranger Station**



RS-020 **Grocery Store**



RS-024 First Aid



RS-025 Telephone



RS-026 **Post Office**



RS-027 Mechanic/Garage



RS-029 Airport



RS-030 Lockers/Storage



RS-032 **Gas Station**



RS-033 Vehicle Ferry



RS-035 Showers



RS-039 Picnic Shelter



RS-041 **Sanitary Station**



RS-043 **Trail Shelter**



RS-044 Picnic Site



RS-045 Kennel



RS-071 Tramway



RS-073 Stables



RS-085 Laundromat



RS-086 Litter Receptacle



RS-091 Trash Dumpster



RS-109 Theater



RS-110 Library



RS-112 Firewood Cutting Radiator Water



RS-124



RS-201 Hospital



RS-139 Pack It In Pack It Out



RS-140 Clean Up After Your Dog

5.15 Service Symbols Reverse



5.16 Water Recreation Symbols Positive



RS-010 Fish Hatchery



RS-053 Marina



RS-054 Boat Launch Ramp



RS-055 Motorboating



RS-056 Sailing



RS-057 Rowboating



RS-058 Waterskiing



RS-059 Surfing



RS-061 Swimming



RS-060 Scuba Diving



RS-062 Diving



RS-063 Fishing Area



RS-079 Canoeing



RS-087 Tour Boat



RS-088 Wading



RS-089 Fish Ladder



RS-093 Fish Cleaning



RS-094 Lifejackets



RS-106 Seal Viewing



RS-107
Whale Viewing



RS-108 Wind Surfing



RS-117 Hand Launch/ Small Boat Launch



RS-118 Kayaking 1



RS-119 Fishing Pier



RS-121 Jet Ski-Personal Watercraft

5.17 Water Recreation Symbols Reverse



5.18 Land Recreation Symbols Positive



■S◆ ARS-064 Horse Trail



RS-065 Motor Bike Trail



■S◆ A RS-066 Bicycle Trail



RS-067 Off-Road Vehicle



RS-068 Hiking Trail



RS-069 Playground



RS-070 Amphitheater



RS-072 Hunting



RS-076 Wildlife Viewing



RS-081 Tech. Rock Climb



RS-082 Climbing



RS-083 Rock Collecting



RS-084 Spelunking/ Caving



RS-095 All-Terrain Vehicle Trail



RS-096 Baseball



RS-097 Exercise/Fitness Area



RS-098
Skateboarding



RS-113 Interpretive Trail/Auto



RS-114 Interpretive Trail/Pedestrian



RS-116 Archery



■ S ⇔
RS-125
In-line Skating



RS-126 Hang Gliding



■S= RS-128 Golfing



RS-129 Tennis

5.19 Land Recreation Symbols Reverse



5.20 Winter Recreation Symbols Positive



RS-046 Cross-Country Skiing



RS-047 Downhill Skiing



RS-048 Ski Jumping



RS-049 Sledding



RS-050 Ice Skating



RS-052 Snowmobiling



RS-077 Winter Rec. Area



RS-078
Snowshoeing



RS-092 Ice Fishing

RS-092

Ice Fishing



RS-105 Chair Lift/Ski Lift



RS-127 Snowboarding

5.21 Winter Recreation Symbols Reverse

RS-077



RS-078

Winter Rec. Area Snowshoeing



Snowmobiling

■ **○ ◆ ○** RS-052

■ **S** ◆ **A**RS-127
Snowboarding

RS-105

Chair Lift/Ski Lift

5.22 Prohibition Symbols



PS-001 No Firearms



PS-002 No Smoking



PS-003 No Automobiles



PS-004 No Trucks



PS-013 Do Not Drink



PS-016 Do Not Cross



PS-017 No Pets



PS-032 No Gasoline



PS-034 No Parking



PS-038 No Camping



PS-040 No Trailers



PS-042 No Campfires



PS-044 No Picnicking



PS-047 No Downhill Skiing



PS-048 No Ski Jumping



PS-049 No Sleding



PS-050 No Skating



PS-052 No Snowmobiling



PS-054 No Boat Launching



PS-055 No Motorboats



PS-058 No Waterskiing



PS-059 No Surfing



PS-060 No Scuba Diving



PS-061 No Swimming



PS-062 No Diving



PS-063 No Fishing



PS-064 No Horses



PS-065 PS-066 No Motor Bikes No Bicycling



PS-067 No Off-Road Vehicles

SEGD National Recreation Symbols



No Hunting



No Technical **Rock Climbing**



No Climbing



No Rock Collecting



No Litter



PS-088 No Wading



PS-092 No Ice Fishing



PS-093 No Fish Cleaning



PS-095 No All-Terrain Vehicles



PS-096 No Ball Playing



Skateboarding



PS-100 No Alcoholic Beverages



PS-101 No Bottles or Cans



PS-102 No Food or Drink



PS-103 No Radios



No Recreation Vehicles



No Baby

Strollers



No Wood Chopping



No Hand Launch/ Small Boat Launch Gathering



No Wood



No Jet Ski/ Personal Watercraft



Stay on Boardwalk



PS-123 No Step



No In-line Skating No Hang Gliding





No Snowboarding



No Golfing



PS-130 Do Not Feed Animals (General)



PS-131 Do Not Feed Animals (Ducks)



Do Not Feed Animals (Squirrels)

SEGD National Recreation Symbols



PS-133 Do Not Feed Animals (Coyotes)



PS-134 Do Not Feed Animals (Deer)



PS-135 Do Not Feed Animals (Bears)

6Directional Arrow

6.0 Introduction


Two styles of directional arrow graphics are used on signs in Roadway Signs. Which style is used depends on the application.

6.1 Arrow Artwork

The arrows are sized as a proportion of the primary legend size based on a transparent alignment box placed around the arrow. Arrows are placed on the sign grid by aligning the transparent box to the baselines as shown in the grid formats.

6.2 Arrow Type B

Arrow Type B is used on Road Guide Signs and Pathfinders.



6.3 Arrow Type C

Arrow Type C, the standard arrow specified in the FHWA Manual on Uniform Traffic Control Devices (MUTCD) is used on Highway Guide Signs.

